

30 July 2006

**Divisions of HIV/AIDS Prevention
Publications
2006**

Names in bold are those of staff or full-time, on-site contractors in DHAP.

Abdul-Quader A, Heckathorn DD, McKnight C, Bramson H, Nemeth C, **Sabin K**, **Gallagher K**, Des Jarlais DC. Effectiveness of respondent-driven sampling for recruiting drug users in New York City: findings from a pilot study. *Journal of Urban Health* 2006; 83(3):459-476.

Agwale SM, **Zeh C**, Paxinos E, Odama L, **Pienazek D**, Wambebe C, **Kalish ML**, Ziernann R. Genotypic and phenotypic analyses of human immunodeficiency virus type 1 in antiretroviral drug-naïve Nigerian patients. *AIDS Research and Human Retroviruses* 2006; 22(1):22-26.

Aharonovich E, Hatzenbuehler ML, Johnston B, **O'Leary A**, Morgenstern J, Wainberg ML, Yao P, Helzer JE, Hasin DS. A low-cost, sustainable intervention for drinking reduction in the HIV primary care setting. *AIDS Care* 2006; 18(6):561-658.

Anderson J, **Sansom S**. HIV testing in a national sample of US pregnant women: who is not getting tested? *AIDS Care*. In press.

Aral SO, **O'Leary A**, Baker C. Sexually transmitted infections and HIV in the southern United States: an overview. *Sexually Transmitted Diseases*. In press.

Bertolli J, Hsu H-W, **Sukalac T**, **Williamson J**, Peters V, Frederick T, Rakusan TA, Ortiz I, Melville SK, **Dominguez K**, for the Pediatric Spectrum of HIV Disease Study. Hospitalization trends among children and youths with perinatal human immunodeficiency virus infection, 1990–2002. *Pediatric Infectious Disease Journal* 2006;25(7):628-633.

Borkowf CB. Constructing binomial confidence intervals with near nominal coverage by adding a single imaginary failure of success. *Statistics in Medicine*. In press.

Brooks JT, **Robbins KE**, **Youngpairoj AeS**, Rotblatt H, Kerndt PR, **Taylor MM**, Daar ES, **Kalish ML**. Molecular analysis of HIV strains from a cluster of worker infections in the adult film industry, Los Angeles 2004 [Concise Communication]. *AIDS* 2006; 20:923-928.

Buchacz K, **Brooks J**, Tong T, **Moorman A**, Baker R, **Holmberg S**, **Greenberg A**, and the HIV Outpatient Study (HOPS) Investigators. Evaluation of hypophosphatemia in Tenofovir disoproxil fumarate (TDF)–exposed and TDF–unexposed HIV outpatients receiving highly active antiretroviral therapy. *HIV Medicine*. In press.

Buck JM, Morrow KM, **Margolis A**, Eldridge G, Sosman J, **MacGowan R**, Binson D, Kacanek D, Flanigan TP, and the Project START Study Group. *Journal of Correctional Health Care* 2006; 12:12-23.

Carter RJ, **Wiener J**, Abrams EJ, Farley J, Nesheim S, Palumbo P, **Bulterys M**, and for the Perinatal AIDS Collaborative Transmission Study—HIV Follow-up after Perinatal Exposure (PACTS-HOPE) Group. Dyslipidemia among perinatally HIV-infected children enrolled in the PACTS-HOPE cohort, 1999–2004: a longitudinal analysis. *Journal of Acquired Immune Deficiency Syndromes* 2006;41(4):453-460.

Celentano DD, **Valleroy LA**, Sifakis F, **MacKellar DA**, Hylton J, Thiede, H, McFarland W, Shehan DA, Soyano SR, LaLota M, Koblin BA, Katz MH, Torian LV, for the Young Men's Survey Study Group. Associations between substance use and sexual risk among very young men who have sex with men. *Sexually Transmitted Diseases* 2006; 33(4):265-271.

Centers for Disease Control and Prevention [**Taylor AW, Rogers M, Campsmith M, Ruffo NM, Clark J, Lampe MA, Nakashima AS, Sansom S**]. Achievements in public health: reduction in perinatal transmission of HIV infection—United States, 1985–2005. *MMWR* 2006; 55(21):592-597.

Centers for Disease Control and Prevention [**Schneider E, Glynn MK, Kajese T, McKenna MT**]. Epidemiology of HIV/AIDS—United States, 1981–2005. *MMWR* 2006;55(21):589-592.

Centers for Disease Control and Prevention [**Wolitski RJ, Henny KD, Lyles CM, Purcell DW, Carey JW, Crepaz N, O'Leary A, Mastro TD, Cleveland JC, Nakashima AK, Janssen RS**]. Evolution of HIV/AIDS prevention programs—United States, 1981–2006. *MMWR* 2006;55(21):597-603.

Centers for Disease Control and Prevention [**Fitzpatrick L, McElroy P, Borkowf CB, MacGowan R, Margolis AD, Stratford D, McLellan-Lemal E, Robbins K, Heneine W, Greenberg A, Sullivan P, Henderson Z, Jafa K**]. HIV transmission among male inmates in a state prison system—Georgia, 1992–2005. *MMWR* 2006; 55:421-426.

Centers for Disease Control and Prevention [**Sanchez T, Finlayson T, Drake A, Behel S, Cribbin M, DiNenno E, Hall T, Kramer S, Lansky A**]. Human immunodeficiency virus (HIV) risk, prevention, and testing behaviors—United States, National HIV Behavioral Surveillance System: Men Who Have Sex with Men, November 2003–April 2005. *MMWR Surveillance Summaries* 2006;55(No. SS-6):1-16.

Centers for Disease Control and Prevention [**Prejean J, Satcher AJ, Durant T, Hu X, Lee LM**]. Racial/ethnic disparities in diagnoses of HIV/AIDS—33 states, 2001–2004. *MMWR* 2006; 55:121-125.

Centers for Disease Control and Prevention [**MacKellar DA, Ing D, Sullivan P, Hooshyar D**]. Rapid HIV test distribution—United States, 2003–2005. *MMWR* 2006;55(24):673-676.

Clark J, Sansom S, Simpson BJ, Walker F, Wheeler C, Yazdani K, Zapata A. Promising strategies for preventing perinatal HIV transmission: model programs from three states. *Maternal and Child Health Journal*. In press.

Courtenay-Quirk C, Wolitski RJ, Parsons JT, Gómez CA, and the Seropositive Urban Men's Study Team. Is HIV/AIDS stigma dividing the gay community? Perceptions of HIV-positive men who have sex with men. *AIDS Education and Prevention* 2006; 18(1):56-67.

Crepaz N, Lyles CM, Wolitski RW, Passin WF, Rama SM, **Herbst JH. Purcell DW**, Malow R, **Stall R**, for the HIV/AIDS Prevention Research Synthesis (PRS) Team. Do prevention interventions reduce HIV risk behaviours among people living with HIV? A meta-analytic review of controlled trials. *AIDS* 2006; 20:143-157.

Delaney KP, Branson BM, Uniyal A, Kerndt PR, Keenan PA, **Jafa K**, Gardner AD, Jamieson DJ, Bulterys M. Performance of an oral fluid rapid HIV-1/2 test: experience from four CDC studies. *AIDS* 2006; 20:1655-1660.

Fasula A, **Miller KS**. African American and Hispanic adolescents' intentions to delay first intercourse: parental communication as a buffer for sexually active peers. *Journal of Adolescent Health* 2006; 38:193-200.

Fisher [nee Hancock] HH, Purcell DW, Hoff CC, Parsons JT, **O'Leary A**. Recruitment source and behavioral risk patterns of HIV-positive men who have sex with men. *AIDS and Behavior*. In press.

Fleming PL, Lansky A, Lee LM, Nakashima AK. The epidemiology of HIV/AIDS in women in the southern United States. *Sexually Transmitted Diseases*. 2006; 33(7, suppl):S32-S38.

Forna F, McConnell M, Kitabire FN, Homsy J, **Brooks JT**, Mermin J, **Weidle PJ**. Systematic review of the safety of trimethoprim-sulfamethoxazole for prophylaxis in HIV-infected pregnant women: implications for resource-limited settings. *AIDS Reviews* 2006; 8:24-36.

Gaiter J, Potter H, O'Leary A. Disproportionate rates of incarceration for people of color contribute to major health disparities in the U.S. [letter to the editor]. *American Journal of Public Health*. In press.

Greenwald JL, **Burstein GR**, Pincus J, **Branson B**. A rapid review of rapid HIV antibody tests. *Current Infectious Disease Reports* 2006; 8:125-131.

Grubb J, **Moorman A**, Baker R, Masur H. The changing spectrum of pulmonary disease in patients with HIV infection on antiretroviral therapy. *AIDS*. In press.

Jemmott LS, Jemmott JB III, **O'Leary A**. A randomized controlled trial of brief HIV/STD prevention interventions for African American women in primary care settings: effects on sexual risk behavior and STD incidence. *American Journal of Public Health*. In press.

Kamb ML. STD counseling for primary care providers. In: Zenilman J, ed. *Sexually Transmitted Diseases and Reproductive Health*. Philadelphia: Harcourt Health Sciences Press. In press.

Kellerman SE, Drake A, Lansky A, Klevens RM. Use of and exposure to HIV prevention programs and services by persons at high risk for HIV. *AIDS Patient Care and STDs* 2006; 20(6):391-398.

Kim C, Adams DR, Bashirian S, Butera S, Folks TM, Otten RA. Repetitive exposures with simian/human immunodeficiency viruses: strategy to study HIV pre-clinical interventions in non-human primates. *Journal of Medical Primatology* 2006;35:210-216.

Knowlton A, Arnsten J, Eldred L, Wilkinson J, Gourevitch M, Shade S, Dowling K, **Purcell DW**, and the INSPIRE Team. Individual, interpersonal, and structural correlates of effective HAART use among urban active injection drug users. *Journal of Acquired Immune Deficiency Syndromes*. In press.

Koblin KA, Torian L, Xu G, Guilin V, Maki H, **MacKellar D, Valleroy L**. Violence and HIV-related risk among adolescent and young men who have sex with men. *AIDS Care*. In press.

Koenig, LJ, Whitaker D, Royce RA, Wilson TE, Ethier K, Fernandez MI. Physical and sexual violence during pregnancy and after delivery: a prospective multistate study of women with or at risk for HIV infection. *American Journal of Public Health* 2006; 96(6):1052-1059.

Lansky A, MacKellar D, Gallagher KM, Lin LS, Sullivan PS, Onorato IM. Letter to the Editor [no other title]. *Sexually Transmitted Diseases* 2006; 33(4):272-273.

Latka MH, Metsch LR, **Mizuno Y**, Tobin K, Mackenzie S, Arnsten JH, Gourevitch MN. Unprotected sex among HIV-positive injection drug-using women and their serodiscordant male partners: role of personal and partnership influences. *Journal of Acquired Immune Deficiency Syndromes* 2006; 42(2):222-228.

Liegeois F, Courgnaud V, **Switzer WM**, Murphy HW, Loul S, Aghokeng A, Pourrut X, Mpoudi-Ngole E, Delaporte E, Peeters M. Molecular characterization of a novel simian immunodeficiency virus lineage (SIVtal) from northern talapoin (*Miopithecus ouensensis*). *Virology* 2006; 349:55-65.

Lucas GM, Mullen BA, **Weidle PJ, Hader S**, McCaul ME, Moore RD. Directly administered antiretroviral therapy in methadone clinics is associated with improved HIV treatment outcomes, compared with concurrent comparison groups. *Clinical Infectious Diseases* 2006; 42:1628-1635.

MacKellar DA, Valleroy LA, Anderson JE, Behel S, Secura GM, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Thiede H, Torian LV, **Janssen RS**. Recent HIV testing among young men who have sex with men: correlates, contexts, and HIV serconversion. *Sexually Transmitted Diseases* 2006; 33:183-192.

MacKellar DA, Valleroy LA, Secura GM, **Behel S**, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Thiede H, Torian LV, for the Young Men's Survey Study Group. Perceptions of lifetime risk and actual risk for acquiring HIV among young men who have sex with men [Brief Communication]. *AIDS and Behavior* 2006 [available online June 22].

Mansergh G, Naorat S, Jommaroeng R, **Jenkins RA, Stall R**, Jeeyapant S, Phanuphak P, Tappero JW, **van Griensven F**. Inconsistent condom use with steady and casual partners and associated factors among sexually active men who have sex with men in Bangkok, Thailand. *AIDS and Behavior* [Available online June 2006].

Mansergh G, Naorat S, Jommaroeng R, **Jenkins RA**, Jeeyapant S, Kanggarnruea K, Phanuphak P, Tappero JW, van Griensven F. Adaptation of venue-day-time sampling in Southeast Asia to access men who have sex with men for HIV assessment in Bangkok. *Field Methods* 2006; 18(2):135-152. .

Mansergh G, Purcell DW, Stall R, McFarlane M, Semaan S, Valentine J, Valdiserri R. CDC consultation on methamphetamine use and sexual risk behavior for HIV/STD infection: summary and suggestions. *Public Health Reports* 2006; 121:127-132.

Mansergh G, Shouse RL, **Marks G**, Guzman R, **Rader M**, Buchbinder S, Colfax GN. Methamphetamine and sildenafil (Viagra) use are linked to unprotected receptive and insertive anal sex, respectively, in a sample of men who have sex with men. *Sexually Transmitted Infections* 2006; 82:131-134.

McDavid K, Gerstle JE III, Hammett TA, Ellison DM, Stephens TG, Kirk J. Results of the expanded HIV Risk Assessment Project (EHRAP). *AIDS Care* 2005; 18(1):77-81.

McDavid K, McKenna MT. HIV/AIDS risk factor ascertainment: a critical challenge. *AIDS Patient Care and STDs* 2006; 20(4):59-66.

McKleroy VS, Galbraith J, Cummings B, Jones P, Harshbarger C, Collins C, Schwartz D, Carey JW, and the ADAPT Team. Adapting evidence-based behavioral interventions for new settings and target populations. *AIDS Education and Prevention*. In press.

McQuillan GM, Kruszon-Moran D, Kottiri BJ, **Kamimoto LA, Lam L, Cowart MF, Hubbard M, Spira TJ**. Prevalence of HIV in the US household population. *Journal of Acquired Immune Deficiency Syndromes* 2006; 41(5):651-656.

Mermin J, Ekwaru JP, Liechty CA, Were W, Downing R, Ransom R, **Weidle P**, Lule J, Coutinho A, Solberg P. Effect of co-trimoxazole prophylaxis, antiretroviral therapy, and insecticide-treated bednets on the frequency of malaria in HIV-1-infected adults in Uganda: a prospective cohort study. *Lancet* 2006; 367:1256-1261.

Mizuno Y, Wilkinson JD, **Santibanez S**, Dawson Rose C, Knowlton A, Handley K, Gourevitch MN & INSPIRE Team. Correlates of health care utilization among HIV-seropositive injection drug users. *AIDS Care* 2006; 18(5):417-425.

Millett GA, Peterson JL, **Wolitski RJ, Stall R**. Greater risk for HIV infection of black men who have sex with men: a critical literature review. *American Journal of Public Health* 2006; 96(6):1007-1019.

Neumann MS, Herbst JH, Guenther-Grey CA. Developing HIV behavioral interventions for men who have sex with men: comparing experiences from the United States and Australia. In: Feldman DA, ed. *AIDS, Culture, and Gay Men*. Gainesville: University Press of Florida. In press.

O'Leary A, Broadwell S, Yao P, Hasin D. Major depression, alcohol and drug use disorders do not account for the STD and HIV epidemics in the southern US. *Sexually Transmitted Diseases*. In press.

Operario D, Choi K-H, Chu PL, McFarland W, Secura GM, **Behel S, MacKellar D, Valleroy LA**. Prevalence and correlates of substance use among young Asian and Pacific Islander men who have sex with men. *Prevention Science*. In press.

Prather C, Fuller TR, King W, Brown M, Moering M, Little S, **Phillips K**. Diffusing an HIV prevention intervention for African American women: integrating afrocentric components into the SISTA diffusion strategy. *AIDS Education and Prevention*. In press.

Sanchez TH, Gallagher KM, for the HITS-2002 Investigators. Factors associated with sildenafil (Viagra) use among men who have sex with men in the United States. *Journal of Acquired Immune Deficiency Syndromes* 2006; 42(1):95-100.

Sansom SL, Anderson JE, Farnham PG, **Dominguez K**, Soorapanth S, **Clark J**, Sukalac T, Earp MJ, Bohannon B, **Fowler MG**, and the PSD Consortium. Updated estimates of health care utilization and costs among perinatally HIV-infected children. *Journal of Acquired Immune Deficiency Syndromes*. In press.

Schwarzc S, Scheer S, McFarland W, Katz M, **Valleroy L**, Catania J. Prevalence of HIV infection and predictors of high transmission sexual risk behaviors: results from a probability sample of men who have sex with men. *American Journal of Public Health*. In press.

Song R, Karon JM, White E, Goldbaum G. Estimating the distribution of a renewal process from times at which events from an independent process are detected. *Biometrics*. In press.

Soorapanth S, Sansom S, Bulterys M, Besser M, Theron G, **Fowler MG**. Cost-effectiveness of HIV rescreening during late pregnancy to prevent mother-to-child IV transmission in South Africa and other resource-limited settings. *Journal of Acquired Immune Deficiency Syndromes*. In press.

Sullivan PS, Hanson DL, Teshale EH, Wotring LL, **Brooks JT**. Effect of hepatitis C infection on progression of HIV disease and early response to initial antiretroviral therapy. *AIDS* 2006;20:1171-1179.

Switzer WM, Qari SH, Wolfe ND, Burke DS, **Folks TM, Heneine W**. Ancient origin and molecular features of the novel human T-lymphotropic virus type 3 revealed by complete genome analysis. *Journal of Virology* 80(15):7427-7438.

van Griensven F, Naorat S, Kilmarx PH, Jeeyapant S, Manopaiboon C, Chaikummao S, **Jenkins RA**, Uthairavavit W, Wasinrapee P, Mock PA, Tappero JW. Palmtop-assisted self-interviewing for the collection of sensitive behavioral data: randomized trial with drug use urine testing. *American Journal of Epidemiology* 2006; 163:271-178.

Van Rompay KKA, Singh RP, **Heneine W, Johnson JA**, Montefiori DC, Bischofberger N, Marthas ML. Structured treatment interruptions with tenofovir monotherapy for simian immunodeficiency virus-infected newborn macaques. *Journal of Virology* 2006;80(13):6399-6410.

Weidle PJ, Abrams EJ, **Gvetadze R**, Rivadeneira E, Kline MW. A simplified weight-based method for pediatric drug dosing for zidovudine and didanosine in resource-limited settings. *Pediatric Infectious Disease Journal* 2006;25(1):59-64.

Wesolowski LG, MacKellar DA, Facente SN, Dowling T, **Ethridge SF, Zhu JH, Sullivan PS**, for the Post-marketing Surveillance Team. *AIDS* 2006; 20:1661-1666.

Wohl AR, Garland WH, Valencia R, Squires K, Witt MD, Kovacs A, Larsen R, **Hader S**, Anthony M-N, **Weidle PJ**. A randomized trial of directly administered antiretroviral therapy and adherence case management intervention. *Clinical Infectious Diseases* 2006; 42:1619-1627.

Wolitski RJ, Jones KT, Wasserman JL, Smith JC. Self-identification as “down low” among men who have sex with men (MSM). *AIDS and Behavior*. In press.

Wolitski RJ, Zhang J. Understanding and motivating condom use among at-risk and HIV-seropositive persons: a review and demonstration of the applicability of the theory of reasoned action and the theory of planned behavior. In: Ajzen I, Hornik R, Albarrain D, eds. *Prediction and Change of Behavior: Applying a Reasoned Action Approach*. Mahwah, NJ: Lawrence Erlbaum. In press.

Young B, **Weidle PJ**, Baker RK, Armon C, Wood KC, **Moorman AC**, **Holmberg SD**, and the HIV Outpatient Study (HOPS) Investigators. Short-term safety and tolerability of didanosine combined with high versus low-dose tenofovir disoproxil fumarate in ambulatory HIV-1 infected persons. *AIDS Patient Care and STDs* 2006; 20(4):238-244.